



Fig. 1

85P1B3 SSH sequence and GenBank homology to OIP5

GATCAGAGGACACATGGGACTCTGCATCTTAATTCCTAAATTTACAGTCAAAGACATTTTCAGAGATAAGTATTAT
GAATTC AATAAGAATCTAAAGTAAGTTCTTAAGGCAAATAGCTATAAAAGAGAAGAATCCTTAGTCTCTCATCTTC
TAAAAACAGCTTCACAAATAATTTGGAAAATCAGCCTAAAGGTAAATAGAACTGCATTTCCCTCCATTCTTGAA
GCCAATCTTTTCAAGAAATGACTAAGCAGCACCTGTTGTTGAAGACAGCAATAAAGCCTGAACCTGACACTCAAG
CTTTGGTACAGGATC

gb AF025441.1 AF025441	Homo sapiens Opa-interacting protein...	632	e-179
gb AF158642.1 AF158642	Homo sapiens metalloproteinase-disin...	42	0.12
gb AC005075.2 AC005075	Homo sapiens clone RG219E16, complet...	42	0.12
emb AL096773.6 HS1000E10	Human DNA sequence from clone 1000...	40	0.48

>gb|AF025441.1|AF025441 Homo sapiens Opa-interacting protein OIP5 mRNA,
partial cds
Length = 1197

Score = 632 bits (319), Expect = e-179
Identities = 319/319 (100%)
Strand = Plus / Minus

Query: 1 gatcagaggacacatgggactctgcacttaattcctaaatttacagtcaaagacatttt 60
|||||
Sbjct: 1013 gatcagaggacacatgggactctgcacttaattcctaaatttacagtcaaagacatttt 954

Query: 61 cagagataagtattatgaattcaataagaatctaaagtaagttcttaaggcaaatagcta 120
|||||
Sbjct: 953 cagagataagtattatgaattcaataagaatctaaagtaagttcttaaggcaaatagcta 894

Query: 121 taaaagagaagaatccttagtctctcatcttctaaaaacagcttcacaaataatttgga 180
|||||
Sbjct: 893 taaaagagaagaatccttagtctctcatcttctaaaaacagcttcacaaataatttgga 834

Query: 181 aatcagcctaaaggtaaataagaaactgcatttccctccattcttgaagccaatctttt 240
|||||
Sbjct: 833 aatcagcctaaaggtaaataagaaactgcatttccctccattcttgaagccaatctttt 774

Query: 241 caagaaatgactaagcagcacctgttgttgaagacagcaataaagcctgaacctgacact 300
|||||
Sbjct: 773 caagaaatgactaagcagcacctgttgttgaagacagcaataaagcctgaacctgacact 714

Query: 301 caagctttgttacaggatc 319
|||||
Sbjct: 713 caagctttgttacaggatc 695

BEST AVAILABLE COPY

Fig. 2-A**cDNA Sequence and ORF of 85P1B3/OIP5 clone A**

5'	GGC	TGC	GGG	AAG	ATG	GCG	GCT	CAG	CCG	CTG	CGG	CAT	CGC	TCA	CGT	TGT	GCA	ACG	
					M	A	A	Q	P	L	R	H	R	S	R	C	A	T	
	CCG	CCC	CGG	GGG	GAC	TTT	TGT	GGT	GGC	ACT	GAG	AGG	GCG	ATT	GAC	CAA	GCT	TCT	
	P	P	R	G	D	F	C	G	G	T	E	R	A	I	D	Q	A	S	
	TTT	ACG	ACC	TCC	ATG	GAG	TGG	GAT	ACG	CAG	GTG	GTG	AAG	GGG	TCC	TCG	CCG	CTC	
	F	T	T	S	M	E	W	D	T	Q	V	V	K	G	S	S	P	L	
	GGC	CCC	GCA	GGG	CTG	GGG	GCT	GAG	GAG	CCA	GCC	GCC	GGC	CCG	CAG	CTG	CCG	TCT	
	G	P	A	G	L	G	A	E	E	P	A	A	G	P	Q	L	P	S	
	TGG	CTG	CAG	CCT	GAG	AGG	TGC	GCT	GTG	TTC	CAG	TGC	GCA	CAG	TGT	CAC	GCA	GTG	
	W	L	Q	P	E	R	C	A	V	F	Q	C	A	Q	C	H	A	V	
	CTC	GCC	GAC	TCG	GTG	CAC	CTC	GCC	TGG	GAC	CTG	TCG	CGG	TCC	CTC	GGG	GCC	GTG	
	L	A	D	S	V	H	L	A	W	D	L	S	R	S	L	G	A	V	
	GTC	TTC	TCC	AGA	GTT	ACA	AAT	AAC	GTC	GTT	TTG	GAA	GCG	CCC	TTC	CTA	GTT	GGC	
	V	F	S	R	V	T	N	N	V	V	L	E	A	P	F	L	V	G	
	ATT	GAA	GGT	TCA	CTC	AAA	GGC	AGT	ACT	TAC	AAC	CTT	TTA	TTC	TGT	GGT	TCT	TGT	
	I	E	G	S	L	K	G	S	T	Y	N	L	L	F	C	G	S	C	
	GGG	ATT	CCC	GTT	GGT	TTC	CAT	CTG	TAT	TCT	ACC	CAT	GCT	GCC	CTG	GCT	GCC	TTG	
	G	I	P	V	G	F	H	L	Y	S	T	H	A	A	L	A	A	L	
	AGA	GGT	CAC	TTC	TGC	CTT	TCC	AGT	GAC	AAA	ATG	GTG	TGC	TAT	CTC	TTA	AAA	ACA	
	R	G	H	F	C	L	S	S	D	K	M	V	C	Y	L	L	K	T	
	AAA	GCC	ATA	GTA	AAT	GCA	TCA	GAG	ATG	GAT	ATT	CAA	AAT	GTT	CCT	CTA	TCA	GAA	
	K	A	I	V	N	A	S	E	M	D	I	Q	N	V	P	L	S	E	
	AAG	ATT	GCA	GAG	CTG	AAA	GAG	AAG	ATA	GTG	CTA	ACG	CAC	AAT	CGC	TTA	AAA	TCA	
	K	I	A	E	L	K	E	K	I	V	L	T	H	N	R	L	K	S	
	CTA	ATG	AAG	ATT	CTG	AGT	GAA	GTG	ACT	CCT	GAC	CAG	TCC	AAG	CCA	GAA	AAC	TGA	
	L	M	K	I	L	S	E	V	T	P	D	Q	S	K	P	E	N	*	
			711			720			729			738			747			756	

Fig. 2-B

[illegible]

Fig. 3

85P1B3/OIP5 protein sequence.

```
1  MAAQPLRHRS RCATPPRGDF CGGTERAIDQ ASFTTSMEDW TQVVKGSSPL GPAGLGAEED
61  AAGPQLPSWL QPERCAVFQC AQCHAVLADS VHLAWDLRS LGAVVFSRVT NNVVLEAPFL
121 VGIEGSLKGS TYNLLFCGSC GIPVGFHLYS THAALAALRG HFCLSSDKMV CYLLKTKAIV
181 NASEMDIQNV PLSEKIAELK EKIVLTHNRL KSLMKILSEV TPDQSKPEN*
```

Fig. 4

Alignment of 85P1B3 with OIP5.

>gi|2815610|gb|AAC39561.1| (AF025441) Opa-interacting protein OIP5 [Homo sapiens]

Length = 231

Score = 462 bits (1189), Expect = e-130

Identities = 229/229 (100%), Positives = 229/229 (100%)

```
85P1B3: 1  MAAQPLRHRSRCATPPRGDFCGGTERAIDQASFTTSMEDWTQVVKGSSPLGPAGLGAE 60
      MAAQPLRHRSRCATPPRGDFCGGTERAIDQASFTTSMEDWTQVVKGSSPLGPAGLGAE 62
OIP5: 3  MAAQPLRHRSRCATPPRGDFCGGTERAIDQASFTTSMEDWTQVVKGSSPLGPAGLGAE 62

85P1B3: 61  AAGPQLPSWLQPERCAVFQCAQCHAVLADSVHLAWDLRSRLGAVVFSRVTNVNVLEAPFL 120
      AAGPQLPSWLQPERCAVFQCAQCHAVLADSVHLAWDLRSRLGAVVFSRVTNVNVLEAPFL 122
OIP5: 63  AAGPQLPSWLQPERCAVFQCAQCHAVLADSVHLAWDLRSRLGAVVFSRVTNVNVLEAPFL 122

85P1B3:121  VGIEGSLKGSTYNLLFCGSCGIPVGFHLYSTHAALAALRGHFCLSSDKMVCYLLKTKAIV 180
      VGIEGSLKGSTYNLLFCGSCGIPVGFHLYSTHAALAALRGHFCLSSDKMVCYLLKTKAIV 182
OIP5: 123  VGIEGSLKGSTYNLLFCGSCGIPVGFHLYSTHAALAALRGHFCLSSDKMVCYLLKTKAIV 182

85P1B3:181  NASEMDIQNVPLSEKIAELKEKIVLTHNRLKSLMKILSEVTPDQSKPEN 229
      NASEMDIQNVPLSEKIAELKEKIVLTHNRLKSLMKILSEVTPDQSKPEN
OIP5: 183  NASEMDIQNVPLSEKIAELKEKIVLTHNRLKSLMKILSEVTPDQSKPEN 231
```

Fig. 5: 85P1B3 Hydrophilicity Profile
(Hopp T.P., Woods K.R., 1981. Proc. Natl. Acad. Sci. U.S.A. 78:3824-3828)




Fig. 6: 85P1B3 Hydropathicity Profile

(Kyte J., Doolittle R.F., 1982. J. Mol. Biol. 157:105-132)




Fig. 7: 85P1B3 % Accessible Residues Profile
(Janin J., 1979. Nature 277:491-492)




Fig. 8: 85P1B3 Average Flexibility Profile
(Bhaskaran R., Ponnuswamy P.K., 1988. Int. J. Pept. Protein Res. 32:242-255)




Fig. 9: 85P1B3 Beta-turn Profile
(Deleage, G., Roux B. 1987. Protein Engineering 1:289-294)





Fig. 10: RT-PCR Analysis of 85P1B3 Expression

- 1) Vital Pool 1
- 2) Vital Pool 2
- 3) Xenograft Pool
- 4) Prostate Cancer Pool
- 5) Bladder Cancer Pool
- 6) Kidney Cancer Pool
- 7) Colon Cancer Pool
- 8) Lung Cancer Pool
- 9) Ovary Cancer Pool
- 10) Breast Cancer Pool
- 11) Metastasis Pool
- 12) H2O



26X

30X

Fig. 11: Expression of 85P1B3 in Normal Human Tissues




Fig. 12: Expression of 85P1B3 in Human Cancer Cell lines





Fig. 13: Expression of 85P1B3 in Patient Cancer Specimens and Cancer Cell Lines



T = tumor RNA
 N = normal adjacent tissue RNA

Fig. 14: Expression of 85P1B3 in Colon Cancer Patient Specimens




Fig. 15: Expression of 85P1B3 in Bladder Cancer Patient Specimens






Fig. 16: Expression of 85P1B3 in Lung Cancer Patient Specimens



**Fig. 17: Expression of 85P1B3 in Prostate Cancer Xenografts Following
Castration**



**Fig. 18: Expression of 85P1B3 in PC3 Cells Following
Retroviral-Mediated Gene Delivery**




Fig. 19




Fig. 20





Fig. 21A

10			20			30			40			50			60			70	
MAAQPLRHSRCATPPRGDFCGGTERAIDQASFTTSMEDTQVVKGSSPLGPAGLGAEPPAAGPQLPSWL cc QPERCAVFQCAQCHAVIADSVHLAWDLSRSLGAVVFSRVTNNVVLEAPFLVGIEGSLKGSTYNLLFCGSC chhh GIPVGFHLYSTHAALAAALRGHFCLSSDKMVCYLLKTKAIVNASEMDIQNVPLSEKIAELKEKIVLTHNRL cc KSLMKILSEVTPDQSKPEN hhhhhhhecccccccccccc																			


c: random coil (49.34%)
e: extended strand (13.97%)
h: alpha helix (36.68%)

Fig. 21B



1 transmembrane from amino acids 129-149

Fig. 21C



No transmembrane domains, soluble protein

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.